

GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

Public Services - Irrigation & CAD Department-Certain irregularities noticed in execution of Earth work excavation and formation of banks including construction of C M & CD works for 21 R distributory of Surampalem Reservoir Main Canal of Surampalem Reservoir scheme in East Godavari District t - Disciplinary action against Sri C.V. Rama Murthy, Superintending Engineer (Retd.)-Sanction under Rule 9 of A.P.R.P. Rules, 1980-Orders Issued.

=====

IRRIGATION & CAD (SERVICES.X-2) DEPARTMENT

G.O.Rt.No. 1111

Dt: 22 .08.2008

O R D E R:

Whereas it has been brought to the notice of the Government that Sri C.V.Rama Murthy, Superintending Engineer (Retd.) during his incumbency as Superintending Engineer, ISLMC Circle, Tuni has committed certain irregularities in execution of Earth work excavation and formation of banks including construction of CM & CD works for 21 R distributory of Surampalem Reservoir Main Canal of Surampalem Reservoir Scheme in East Godavari District. Therefore the Government decided that there exists a prima facie case to initiate departmental action against Sri C.V.Rama Murthy, Superintending Engineer (Retd.)

2. Now therefore sanction is accorded under sub clause (i) under clause (b) of the Sub-rule (2) of Rule 9 of A. P. Revised Pension Rules, 1980 to initiate Departmental proceedings against the said Sri C.V. Rama Murthy, Superintending Engineer (Retd)

3. It is further directed that the said Departmental proceeding shall be conducted in accordance with the procedure laid down in Rule 20 of Andhra Pradesh Civil Services (CC & A) Rules, 1991.

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri C.V. Rama Murthy, Superintending Engineer (Retd) through the Engineer-In-Chief (AW) Irrigation & CAD Department, Hyderabad.

//FORWARDED : : BY ORDER//

SECTION OFFICER